

EURACHEM WEEK 2022 – TBILISI, GEORGIA

16 MAY 2022 - 20 MAY 2022

Sampling technique of graphene oxide-based nano metal composites and their influence on pathogenic microorganisms

G. Kvartskhava, T. Sachaneli, T. Dundua



საქართველოს ტექნიკური უნივერსიტეტი
GEORGIAN TECHNICAL UNIVERSITY

Presentation content


♣ INTRODUCTION

♣ SYNTHESIS OF RGO-AG , RGO-CU AND RGO-TIO₂ COMPOSITES

♣ SAMPLE PREPARATION METHODS

♣ DETERMINATION OF ANTIMICROBIAL ACTIVITY


♣ RESULTS



საქართველოს ტექნიკური უნივერსიტეტი
GEORGIAN TECHNICAL UNIVERSITY

Introduction

Nanomaterials for food Industry




საქართველოს ტექნიკური უნივერსიტეტი
GEORGIAN TECHNICAL UNIVERSITY

Synthesis of nanoparticles


Synthesis of rGO-Ag , rGO-Cu and rGO-Tio2 composites

❖ Dry method (Vacuum exfoliation)



საქართველოს ტექნიკური უნივერსიტეტი
GEORGIAN TECHNICAL UNIVERSITY

Electron Image 3



Statistics	C	O	Cu	Ag
Max	66.46	15.86	1.56	16.11
Min	66.46	15.86	1.56	16.11
Average	66.46	15.86	1.56	16.11
Standard Deviation	0.00	0.00	0.00	0.00

Result Type	Weight %
Spectrum Label	Map Sum Spectrum
C	66.46
O	15.86
Cu	1.56
Ag	16.11
Total	100.00

Figure 1, 2, 3.
SEM micrographs
of rGO-Ag
composite






Table 1, 2. EDX analysis of rGO-Ag composite

Electron Image 6



Result Type	Weight %				
Spectrum Label	Spectrum 9	Spectrum 10	Spectrum 11	Spectrum 12	Spectrum 13
C	69.92	68.30	70.91	70.85	69.29
O	17.32	14.31	16.60	16.51	15.24
K	0.11	0.16	0.28	0.25	0.17
Cu	10.68	15.10	10.44	10.76	13.38
Zn	0.73	0.66	0.88	0.71	0.54
Mo	1.24	1.48	0.89	0.92	1.39
Total	100.00	100.00	100.00	100.00	100.00

Figure 4,5,6. SEM micrographs of rGO-Cu composite



Statistics	C	O	K	Cu	Zn	Mo
Max	70.91	17.32	0.28	15.10	0.88	1.48
Min	68.30	14.31	0.11	10.44	0.54	0.89
Average	69.85	16.00	0.19	12.07	0.70	1.18
Standard Deviation	1.10	1.21	0.07	2.07	0.12	0.27

Table 3, 4. EDX analysis of rGO-Cu composite




Figure 7,8,9. SEM micrographs of rGO-composite TiO₂





Figure 10. XRD patterns of composite CO-H₂TiO₃(green), rGO-TiO₂ (anatase, blue) and anatase (TiO₂).

Sampling Preparation Methods

- ❖ Sample taking
- ❖ The ultrasound treatment and homogenization of suspensions by Ultrasonic cleaner (45 KHz) and JY92-IIDN Touch Screen Ultrasonic Homogenizer (20-25 KHz, 900 W).
- ❖ Pathogen input to the sample
- ❖ Place prepared sample on a shaker incubator



საქართველოს ტექნიკური უნივერსიტეტი
GEORGIAN TECHNICAL UNIVERSITY

Common Sampling Problems

- ❖ Sample size (They occur at low levels) and structure
- ❖ Sample homogenization impacts on pathogen activity (They are typically not evenly distributed)



Fig. 11. Homogenized nanoparticles of TiO₂, Ag, Cu

Microbial cultures

- ❖ *Ps. aeruginosa*
- ❖ *B. subtilis*
- ❖ *E. faecalis*

Isolates were incubated
with 20,40 $\mu\text{g/mL}$ of
nanoparticles

The antibacterial properties
were studied against indicator
bacterial strains by viable cell
count and agar diffusion method.



Fig. 11. inhibition zone of a test culture on rGO-AgNps



Fig. 12. viable cell count




Fig. 13. viable cell count of *test culture* on rGO-Cu

Fig. 14. viable cell count of *test culture* on rGO-Cu




Fig. 15. viable cell count of *test culture* on rGO-TiO₂




Fig. 16. viable cell count of *test culture* on rGO-TiO₂

Viable cell count-CFU/ml



Viable cell count-CFU/ml



Conclusion

- ❖ The results demonstrated that, depending on the homogenization of the sample of rGO-AgNP, rGO-Cu, and rGO-TiO₂ exhibited significant antibacterial activity compared to not homogenized.
- ❖ All nanocomposites fully inhibited the growth of *P.aeruginosa*, *Bacillus subtilis* and significantly reduced *Enterococcus faecalis* growth at 2 and 24 h in a time-dependent way compared to the respective time controls.



საქართველოს ტექნიკური უნივერსიტეტი
GEORGIAN TECHNICAL UNIVERSITY

Working group

Giorgi Kvartskhava
Tamar Sachaneli
Tamar dundua

Acknowledgments

We Would like to thank to the staff of Petre Melikishvili Institute of Physical and Organic Chemistry (at Ivane Javakhishvili Tbilisi State University), who provided us with graphene nanocomposites.



საქართველოს ტექნიკური უნივერსიტეტი
GEORGIAN TECHNICAL UNIVERSITY

Thank you for
your
attention

